Appl. No. 10/656,524 Atty. Docket No. CM2695 Amdt. Dated 12/01/2005 Reply to Office Action of 09/07/2005 Customer No. 27752

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

- 1.(Currently Amended) A structured liquid fabric treatment composition comprising as added components
 - (A) one or more silicone-based cationic fabric care ingredients comprising a cationic silicone polymer composed of alternating units of:
 - (i) a polysiloxane of the following formula:

$$\begin{array}{c|c} & & & \\ \hline X \leftarrow OC_aH_{2a} \rightarrow & R^2 \leftarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^3 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow & \downarrow \\ R^1 \end{array} \rightarrow \begin{array}{c} R^1 \\ \downarrow \\ R^1$$

(B) a cationic divalent organic moiety selected from the group consisting of;

(d) a divalent aromatic or aliphatic heterocyclic group, substituted or unsubstituted, containing at least one quaternized nitrogent atom; and

- (i) optionally, a polyalkyleneoxide of formula: Y-O(C₀H_{2a}O) Y

 and
- (ii) optionally, a cationic monovalent organic moiety, to be used as an end-Page 2 of 9

Appl. No. 10/656,524 Atty. Docket No. CM2695 Amdt. Dated 12/01/2005 Reply to Office Action of 09/07/2005 Customer No. 27752

group, selected from the group consisting of:

$$(i) - \bigvee_{\substack{l=1 \ k^{12} \ k^{13} \ k^{13} \ k^{14}}}^{R^{12}} \qquad (ii) - \bigvee_{\substack{l=1 \ k^{12} \ k^{14} \ k^{15} \ k^{15}}} = (iv) - \bigvee_{\substack{l=1 \ k^{12} \ k^{15} \ k^{15}$$

 (v) monovalent aromatic or aliphatic heterocyclic group, substituted or unsubstituted, containing at least one quaternized nitrogen atom;

wherein:

- R^4 , R^5 , R^6 , R^7 , R^8 , R^9 , R^{10} , R^{11} are the same or different, and are selected from the group consisting of $C_{1.22}$ alkyl, $C_{2.22}$ alkenyl, $C_{6.22}$ alkylaryl, aryl, cycloalkyl, $C_{1.22}$ hydroxyalkyl; polyalkyleneoxide; (poly)alkoxy alkyl and mixtures thereof; or in which R^4 and R^6 , or R^5 and R^7 , or R^8 and R^{10} , or R^9 and R^{11} are components of a bridging alkylene group;
- R¹², R¹³, R¹⁴ are the same or different, and are selected from the group consisting of C₁₋₂₂ alkyl; C₂₋₂₂ alkenyl; C₆₋₂₂ alkylaryl; C₁₋₂₂ hydroxyalkyl; polyalkyleneoxide; (poly)alkoxy alkyl groups and mixtures thereof; and R¹⁵ is -O- or NR¹⁹;
- R¹⁶ and M¹ are the same or different divalent hydrocarbon residues;
- R¹⁷, R¹⁸, R¹⁹ are the same or different, and are selected from the group consisting of H, C₁₋₂₂ alkyl, C₂₋₂₂ alkenyl, C₆₋₂₂ alkylaryl, aryl, cycloalkyl, C₁₋₂₂ hydroxyalkyl; polyalkyleneoxide, (poly)alkoxy alkyl, and mixtures thereof, and
- $-Z^1$ and Z^2 are the same or different divalent hydrocarbon groups with at least 2 carbon atoms;
- Y is a secondary or tertiary amine;
- a is from about 2 to about 4; b is from 0 to about 100; c is from about 1 to about 1000; d is from 0 to about 100; e is from about 1 to about 6; m is the number of positive charges associated with the cationic divalent organic moicty, which is greater than or equal to about 2; and A is an anion.

Page 3 of 9

Appl. No. 10/656,524 Atty, Docket No. CM2695 Amdt. Dated 12/01/2005 Reply to Office Action of 09/07/2005 Customer No. 27752

- (C) a structuring system comprising a structuring agent, a nonionic emulsifier and an anionic emulsifier, wherein said structuring agent is selected from crystalline, hydroxyl-containing stabilizing agents; fatty acids, fatty esters or fatty soap water-insoluble wax-like substances, and mixtures thereof;
- (D) one or more cationic scavenging agents for said anionic emulsifier, wherein said cationic scavenging agents are selected from compounds having the formula:

(!)

(2) and mixtures thereof;

wherein R⁸ is an acyclic aliphatic C₈₋₂₂ hydrocarbon group; R⁹ is a C₁-4 saturated alkyl or hydroxyalkyl group, R¹⁰ is selected from the group consisting of R⁸ and R⁹ groups; and mixtures thereof, and wherein X is a compatible anion, selected from the group consisting of halide, methosulfate, acetate, phosphate and mixtures thereof; and

- (E) a liquid carrier.
- 2. (Canceled)
- 3. (Original) A structured liquid fabric treatment composition according to Claim 1, wherein the silicone-based cationic fabric care ingredient is present at a level of from about 0.1% to about 20% by weight of the composition.
- 4. (Original) A structured liquid fabric treatment composition according to Claim 3, wherein the silicone-based cationic fabric care ingredient is present at a level of from about 0.2% to about 2.5% by weight of the composition.
- 5.(Canceled).
- 6. (Original) A structured liquid fabric treatment composition according to Claim 5, wherein said structuring system is present at a level of from about 0.2% to about 5.0% by weight of the composition.
- 7.(Original) A structured liquid fabric treatment composition according to Claim 1, wherein said cationic scavenging agent is present at a level of from about 0.1% to about 50% by weight of the composition.

Appl. No. 10/656,524 Atty. Docket No. CM2695 Arndt. Dated 12/01/2005 Reply to Office Action of 09/07/2005 Customer No. 27752

- 8.(Original) A structured liquid fabric treatment composition according to Claim 7, wherein said cationic scavenging agent is present at a level of from about 0.2% to about 10% by weight of the composition.
- 9.(Original) A structured liquid fabric treatment composition according to Claim 1, wherein said liquid carrier is present at a level of from about 0.1% to about 98% by weight of the composition.
- 10.(Original) A structured liquid fabric treatment composition according to Claim 9, wherein said liquid carrier is present at a level of from about 25% to about 75% by weight of the composition.

Claims 11-16.(Canceled)

17. (Currently Amended) A structured liquid fabric treatment composition according to Claim 1 wherein the structuring agent of said structuring system is solected from the group consisting of crystalline, hydroxyl containing stabilizing agents; fatty acids, fatty esters or fatty soap water insoluble wax like substances, and mixtures thereof; the wherein the nonionic emulsifier is selected from the group consisting of alkoxylated nonionic emulsifiers, amidofunctional nonionic emulsifiers, condensation products of primary aliphatic alcohols with from about 1 to about 75 moles of C₂₋₃ alkylene oxide, and from semi-polar emulsifiers having the formula:

$R(EO)_x(PO)_v(BO)_zN(O)(CH_2R')_2$

and mixtures thereof, wherein R is a saturated or unsaturated, linear or branched C₈₋₂₀ hydrocarbyl moiety; R' is a C₁₋₄ hydrocarbyl moiety; and x, y, z are each from 0 to about 100; EO is ethyleneoxy, PO is propyleneneoxy and BO is butyleneoxy, and wherein the anionic emulsifier of said structuring system is selected from the group consisting of C₅₋₂₀ alkylbenzene sulfonates, C₅₋₂₀ alkyl ester sulfonates, C₆₋₂₂ primary or secondary alkane sulfonates, C₅₋₂₀ sulfonated polycarboxylates, C₅₋₂₀ alkylbenzene sulfonic acids, C₅₋₂₀ sulfonated polycarboxylates acids and mixtures thereof.

- 18. (Canceled)
- 19. (Original) A structured liquid fabric treatment composition according to Claim 1 wherein in the structuring system component the weight ratio of the nonionic emulsifier to the anionic emulsifier is from about 9:1 to about 4:1.
- 20.(Original) A structured liquid fabric treatment composition according to Claim 1 wherein the weight ratio of the cationic scavenging agent to the anionic emulsifier is from about 5:1 to about 2.5:1.

Page 5 of 9

Appl. No. 10/656,524 Atty. Docket No. CM2695 Amdt. Dated 12/01/2005 Reply to Office Action of 09/07/2005 Customer No. 27752

- 21. (Original) A structured liquid fabric treatment composition according to Claim 1, wherein the liquid carrier is selected from the group consisting of water, one or more organic solvents and mixtures thereof.
- 22. (Original) A structured liquid fabric treatment composition according to Claim 1 further comprising one or more components selected from the group consisting of nonionic surfactants, zwitterionic surfactants, amphoteric surfactants, builders, perfumes, suds suppressors, enzymes, coupling agents, chelants and mixtures thereof.
- 23. (Original) Use of a structured liquid fabric treatment composition of Claim I to impart on a fabric substrate a fabric care benefit, wherein said benefit is selected from the group consisting of fabric cleaning benefit, reduction of wrinkles benefit, prevention of wrinkles benefit, surrender of fabric feel benefit, shape retention benefit, shape recovery benefit, fabric elasticity benefit, ease of ironing benefit, perfume benefit, fabric softening benefit, color benefit, and mixtures thereof.
- 24. (Original) Method of using a structured liquid fabric treatment composition according to Claim 1 for treating fabric by contacting said structured liquid fabric treatment composition with said fabric.
- 25. (Original) Process for preparing a structured liquid fabric treatment composition according to Claim 1 comprising the steps of:
 - (i) premixing the fabric care ingredient with the liquid carrier, optionally in the presence of the cationic scavenging agent;
 - (ii) premixing the structuring system, optionally in the presence of a liquid carrier;
 - (iii) optionally, if present, preparing a mixture of all other components; optionally in the presence of the cationic scavenging agent; and
 - (iv) combining all said premixes,

wherein the cationic scavenging agent is added either to the fabric care premix or to the other component mixture or a combination thereof.